

## SECTION 5100 - EROSION AND SEDIMENT CONTROL

### CITY OF LEE'S SUMMIT, MISSOURI DESIGN CRITERIA

The City of Lee's Summit, Missouri's hereby adopts Section 5100 of the Kansas City Metropolitan Chapter of APWA Design Criteria, current edition. The following additions, deletions and/or revisions are adopted as a part of Section 5100 for use within Lee's Summit, Missouri.

#### 5100.7 Applications of Erosion Control as a First Line of Defense against On-Site Damage

Delete Paragraph B entirely and replace with the following:

- B. Re-establish vegetation on individual disturbed area(s) within 30 days of the initial disturbance. Delaying re-vegetation of a project site or portion thereof beyond 30 days will result in non-compliance with the City's Land Disturbance Permit Conditions and Ordinance(s).***

#### 5102 Education, Training and Certification

Delete the following in entirety: Subsections 5102.4 Skill Rating and Training Performance, and 5102.5 Training Summary, including Tables 5102-2 and 5102-3.

#### 5108.8 Drop or Curb Inlet Protection

Delete Item 5108.8.C.4.b Sediment Fence Drop Inlet Protection, entirely.

#### 5108.9 Culvert Inlet Protection

Delete Item 5108.9.D.1. Sediment Fence Culvert Inlet Protection, entirely.

#### Division III Standard Drawings

The following details are not applicable:

- ESC-13 Straw Bale Barrier
- ESC-19 Sediment Fence Drop Inlet Protection
- ESC-28 Sediment Fence Culvert Inlet Protection
- ESC-41 Straw Bale/Sediment Fence Pit